AMENDMENT NO. 2 61-2859 To the Subagreement Between MICHIGAN STATE UNIVERSITY And IOWA STATE UNIVERSITY

THIS AMENDMENT is entered into between Michigan State University (MSU) and the Iowa State University (LEAD INSTITUTION) and

WHEREAS, MSU and LEAD INSTITUTION entered into a Subagreement on 30 March 2010, and

WHEREAS, the parties now desire to modify said Subagreement,

NOW THEREFORE, the parties mutually agree that said Subagreement shall be and is amended as follows:

I. INTRODUCTION (Section C)

Append the following items:

Appendix C: Append the *Project Workplan* with the attached approved Phase II FY 2012 Workplan. Attached to FY12 Workplan are "FY12 Semi-Annual Indicators of Progress" and "FY 12 Performance Indicators" forms for the PII-ISU-2 project in the Dry Grain Pulses CRSP.

Appendix D: Append the attached Sub-project, Phase II Budget for the period 10/1/11 to 9/28/12.

II. STATEMENT OF WORK

Append the following to the first paragraph:

The LEAD INSTITUTION shall also perform the activities and services described in the detailed project workplan and the "TMAC" recommendations and its amendments, submitted to the Dry Grain Pulses CRSP Management Office (MO) (for the period of October 1, 2011 - September 28, 2012) and incorporated and appended hereto as Appendix C.

IV - AMOUNT OF SUBAGREEMENT

Delete "The total estimated amount of the Subagreement shall not exceed Six Hundred Thirteen Thousand Nine Hundred Nine US Dollars (US \$613,909.00).

Replace with "The total estimated amount of the Subagreement shall not exceed Nine Hundred Eighty Five Thousand Four Hundred Seventy One US Dollars (US \$985,471.00). MSU obligates Nine Hundred Eighty Five Thousand Four Hundred Seventy One US Dollars (US

\$985,471.00) as full funding of the total estimated amount as set forth above per the budget listed as Appendix D."

Said amount consists of:

OBLIGATION THRU SUBAGREEMENT	
FY10 9-month project budget (1/1/10-9/30/10)	\$244,724.00
AMENDMENT NO. 1 OBLIGATION INCREASE:	Langer Colonia Consulta
FY11 12-month project budget (10/1/10-9/30/11)	\$369,185.00
AMENDMENT NO. 2 OBLIGATION INCREASE: BH	
FY12 12-month project budget (10/1/11-9/28/12)	\$371,562.00
TOTAL OBLIGATION	\$985,471.00

Delete: "Because this Subagreement is incrementally funded, funds obligated hereunder are only anticipated to be sufficient for project expenditures through approximately September 30, 2011.

Replace with: "Because this Subagreement is incrementally funded, funds obligated hereunder are only anticipated to be sufficient for project expenditures on or before September 28, 2012."

Except as specifically herein amended, all terms and conditions of the above-numbered Subagreement, as heretofore amended, remain unchanged and in full force and effect.

Signatures of Authorized Individuals

Michigan State University	Iowa State University (Grantee)
Cuby Alone Ox	By Tammy Olaski
Printed Name <u>Diane Cox</u>	Printed Name Associate Director
Title Sponsored Programs Manager	Title Office of Sponsored Programs Administration lows State University
Date 25 Oct 2011	Date

DRY GRAIN PULSES CRSP WORKPLAN FORMAT

(FY 12 – Ali Partners)

Planned Project Activities for the Period October 1, 2011 to September 28, 2012 As revised May 21-26

Project Title: Enhancing biological nitrogen fixation (BNF) of leguminous crops grown on degraded soils in Uganda, Rwanda, and Tanzania

Lead U.S. Principal Investigator and University:

Mark E. Westgate
Director, Center for Sustainable Rural Livelihoods
Iowa State University
110 Curtiss Hall
Ames, IA 50011
515-294-9106
westgate@iastate.edu

Collaborating Host Country and U.S. Pls and Institutions:

John Steven Tenywa: Makerere University, Department of Soil Science. P.O. Box 7062, Kampala, Uganda. ph: +256-414-540-707, Cell: +256-772-487-404. jstenywa@agric.mak.ac.ug.

Lynne Carpenter-Boggs: Washington State University, BioAg Research Leader, Center for Sustaining Agriculture and Natural Resources, Dept. Crop and Soil Sciences, (509) 335-1553. leboggs@wsu.edu

Karen Cichy: USDA-ARS, Sugarbeet and Bean Research Unit, East Lansing, MI, 48824-1325 ph: 517-353-9262 ext. 4, Fax: 517-337-6782, karen.cichy@ars.usda.gov

James D. Kelly: Michigan State University, Department of Crop & Soil Sciences, East Lansing, MI 48824-13254. Ph: 517-355-0271 x 1181, Fax: 517-353-5174. kellyi@msu.edu

Phillip Miklas: USDA-ARS, Vegetable and Forage Crop Research, Prosser, WA 99350. ph: 509-786-9258; cell: 509-786-8492; Fax: 509-786-9277; phil.miklas@ars.usda.gov

Henry Kizito Musoke: Volunteer Efforts for Developmental Concerns, Kampala, Uganda. ph: +256-414-270-598, henrykizito@vedco.or.ug

Susan Nchimbi-Msolla: Crop Science and Production, Sokoine University of Agriculture, Morogoro, Tanzania, nchimbi@giant.suanet.ac.tz

Ernest Semu: Department of Soil Science, Sokoine Unversity of Agriculture. P.O. Box 3008, Chuo Kikuu, Morogoro, Tanzania. Ph: +255-23-260-3999, FAX: +255-23-260-3259, Cell: +255-754-565-808.

Augustine Musoni: Institit des Sciences Agronomiques du Rwanda (ISAR), Nygatare Research Station, fmusoni@yahoo.com

Michael Ugen: National Crops Research Institute, Namulonge, Uganda. ph: +256-414-573-016, Fax: +256-752-726-554, michaelugen@yahoo.com

Daniel Krohn: (collaborator) Becker Underwood, Inc. 801 Dayton Avenue, Ames, IA. 50010. Ph: 515-956-2351, Cell: 515-509-1047. daniel.krohn@beckerunderwood.com.

Peg Armstrong-Gustafson: (collaborator) amson technology l.c., 4010 University Avenue, Des Moines, IA 50311. Ph: 515-279-7767, Fax: 515-255-6101, peg@tmgmanagement.com

I. Project Problem Statement and Justification:

Common beans are the most important legume crop in Uganda, Rwanda and Tanzania occupying a very large proportion of land devoted to legumes. For example, over 45% of the protein intake by Ugandans comes from beans providing 25% of dietary calories. Likewise, over 75% of rural households in Tanzania depend on beans for daily subsistence. Common bean is an important source of protein for low-income families in rural and urban areas providing about 38% of utilizable protein and 12-16% of daily caloric requirements. Improved bean production in Uganda, Rwanda, and Tanzania offers a unique opportunity to address the deteriorating food security situation there and elsewhere in sub-Saharan Africa.

Loss of soil fertility is recognized as the most important constraint to food security in sub-Saharan Africa. Low levels of nitrogen and phosphorous are the primary fertility constraints. Because soils are increasingly becoming degraded, an affordable means of improving soil fertility and productivity of nitrogen-accumulating crops is critical. Properly nodulated legumes can leave up to 350 kg nitrogen per hectare in the soil, depending on effectiveness of the nitrogen fixation process, type of legume, length of time the legume is grown, soil nutrient levels and nitrogen already available. Because inoculum is much cheaper than inorganic fertilizer, use of inoculants can provide an affordable and sustainable way to improve production of nitrogen fixing legumes.

Numerous studies have shown the potential of improving legume productivity by enhancing nodulation through proper use of a biological inoculant. Yet field trials in sub-Saharan Africa have provided mixed results. Likely causes for variable response include poor quality control of inoculant formulation, failure to compete with local rhizobia, inhibition by indigenous microbial flora, or failure of the inoculant species to survive in low pH and/or droughty soils. Modern inoculant formulations designed to deliver a synergistic suite of biological and chemical enhancements for biological nitrogen fixation under stressful soil conditions have

been made available to our collaborative research project by Becker Underwood, Inc. Becker Underwood's BioStacked® inoculant technologies for legume crops consist of well stabilized Rhizobium bacteria, a biological fungicide, plant growth promoting rhizobacteria, and other biologically derived proprietary biostimulant technologies which promote plant growth and overall plant health. These stacked inoculants have been shown to decrease chemical fertilizer use in crop rotations, increase legume yields, suppress root diseases, and improve rhizosphere conditions for root growth. We anticipate they will be particularly effective under degraded soil conditions encountered on small-landholder farms in Uganda, Rwanda, and Tanzania.

To optimize BNF, it also is essential to identify germplasm with greatest capacity for this trait. Although common bean has the potential for BNF, it is reported to have the lowest percent N₂ derived from N fixation among legumes. Genetic variation for BNF has been reported within the primary gene pool, and lines with superior BNF have been identified. Superior BNF lines such as Puebla 152 and BAT 477 have been used as parents in crosses to generate populations for genetic studies and to examine selection and breeding for improved BNF. Few breeding lines with improved BNF, however, have been developed. The optimal selection environment for BNF is under low soil N since application of nitrogen fertilizer reduces N fixation capacity. Marker-assisted selection (MAS) under such conditions is highly sought after as a means to facilitate breeding for traits like BNF with low to moderate heritability. Molecular mapping in combination with germplasm screening and MAS would be a powerful way to improve locally adapted germplasm for BNF in a host country. Recombinant inbred populations currently available are ideal for tagging and mapping genes that influence quantitative traits (QTLs). Few QTLs associated with BNF, however, have been identified to date, and those identified have not been validated. Identifying and validating QTL-conditioning enhanced BNF would be a major contribution to the scientific community, and represent a major step toward effective marker-assisted selection for BNF.

Our BNF-CRSP program objectives address the need to identify production systems that enhance BNF, develop germplasm that benefits most from symbiotic inoculation, and aggressively share this new information with small landholder farmers in sub-Saharan Africa whose health and well being depend heavily on legume production.

II. Planned Project Activities in the Workplan Period (October 1, 2011 to September 28, 2012)

Objective 1:

The first strategic aim is to improve BNF and seed yields of common beans significantly using superior seed inoculants such as Becker Underwood's BioStacked® inoculant through farmer-based experimentation and adoption of innovative production techniques.

Sub-Objectivela: To evaluate effectiveness of biologically stacked inoculants on local and improved germplasm.

We expect to:

- 1. Establish Field Trial 2 at HC field locations (NaCCRI, SUA, ISAR)
- 2. Test common bean varieties along with non-nodulating controls and high/low-N treatments at all HC trial locations (NaCCRI, ISAR, SUA)
- 3. Quantify yield advantage of inoculation for second cropping season (NaCCRI, SUA, ISAR)
- 4. Hold workshop for graduate students to share outcomes of research/training prior to 2012 CRSP meeting.
- 5. Attend Bean Improvement Cooperative Meeting in November 2011.

Sub-Objective 1b: To quantify genotype by environment interactions and constraints to enhancing BNF of inoculated plants.

We expect to:

- 6. Complete analysis of plant/soil/weather data (ISU, Makerere, NaCCRI, SUA, ISAR)
 - a. Intitate modeling studies of seasonal soil moisture profiles and bean yield
- 7. Confirm phenotype and yield response to inoculant x genotype x environment (ISU, Makerere, MSU, WSU, NaCCRI, SUA, ISAR)
 - a. Incorporate new inoculants from Becker Underwood and local companies in field trials
 - b. Quantify plant N, biomass, nodule classes, ureide levels prior to pod fill.
 - c. Quantify yield, yield components, NUE, NHI.
 - d. Quantify nodule classes and occupancy
- 8. Confirm indigenous rhizobia levels and relate to local environmental conditions (ISU, WSU, MSU, Makerere)
- 9. Confirm soil rhizobia soil populations and strain diversity at field sites
 - a. Collect nodules, soil samples at field sites, store for analysis
- 10. Initiate root/nodulation study in greenhouse on selected lines (ISU, MSU, WSU)
- 11. Complete initial studies on strain x host interactions for BNF (WSU)
- 12. Identify most effective genotype-inoculant combinations for each eco-zone tested in HC (Makerere, NaCCRI, SUA, ISAR)
- 13. Calculate economic return for inoculation treatments for season 1 and 2 field trials (NaCCRI, SUA, ISAR)

Collaborators:

Becker Underwood, Inc. (BU) is an international developer of bio-agronomic and specialty products. The company is the leading global producer of inoculants, beneficial nematodes, and a wide range of agricultural and horticultural products. BU will produce the Bio-stacked® legume inoculants (see http://www.beckerunderwood.com/en/newsreleases/100104) for distribution to HC and US researchers in this CRSP project. BU has worked with numerous universities around the world and has implemented quality assurance programs and technical support to ensure proper formulation and field application.

Approaches and Methods:

In Rwanda, Tanzania, and Uganda multiple sites will be used to evaluate popular cultivars of both determinate bush and indeterminate vine growth habit types for response to different rhizobia-inoculum treatments. Site selection will be defined by where beans are already grown and consumed, and will encompass the range of soil types and weather conditions documented at each site (1c). Four cultivars will be chosen representing different market types, evolutionary origin, in addition to the different plant types. For example in Tanzania popular cultivars (genotypes) representing the major speckled purple-Kablanketi (Type III, Andean), yellow-Njano (Type I, Andean), Red Kidney (Type I, Andean), and Carioca (Type II, MA) market types would be tested. Adapted non-nodulating genotype(s) (~BAT477, DOR364 from CIAT) will be useful for this and subsequent BNF trials as checks. Rhizobia inoculum treatments will include Bio-stacked®, other commercially available inoculants (e.g. Bio-N-Fix), and no inoculum. The Bio-stacked® inoculum from Becker-Underwood, Inc. is formulated for enhanced BNF under stressful soil conditions (see product note from Becker Underwood, Inc.). A RCBD with four replications, and moderately large plot size will be used (4 to 6 rows wide by 5 to 7 m length), Established research station sites will be used initially and expanded to on farm and community co-op trials using select genotypes which exhibit greatest BNF response. It is envisioned by year 2 that HC Extension personnel, NGO, or other business partners will be identified to help develop and implement strategies for technology dissemination to numerous farmers (Strategic Aim 3). A low N treatment will be targeted the first few years and expanded to include low and high N in subsequent years as HC and US project participants gain training and experience with experimental protocols and procedures.

Standard agronomic practices will be employed in the controlled location studies (Opio et al 2001). Incidence and severity of disease and pest damage will be recorded to determine their indirect impact on N-fixation, plant performance and response to inoculant treatments. Agronomic data collected for each treatment includes: soil analysis, final plant stand (pl/m), seed yield (kg/ha), disease and insect pest ratings (mid-season for leaves), days to physiological maturity, pods per plant, seed quality (color, % not mature, % mottled, and economic return on investment in the inoculant technology. The latter will be assessed by careful record keeping of agronomic input costs and grain sales. Thermometers, rain gauges, and soil moisture sensors will be positioned on site for recording local weather conditions. Plant biomass, total plant N, petiole ureide levels prior to podfill, seed yield, seed N, and biomass at harvest maturity on a plot basis will be used to measure BNF response of the different genotypes and treatments. These measurements are the most affordable in terms of cost and labor and correlate well with seasonal BNF. Select genotypes or treatments with large or interesting BNF responses, could be further characterized by evaluation of root biomass, nodulation number and mass, isotope assays, or post crop response. Data collection will be coordinated by HC scientists and students.

Objective 2:

The second strategic aim is to examine the inheritance of genetic and environmental variation in BNF in common bean, and to identify molecular markers associated with QTL conditioning for enhanced BNF.

Sub-Objective 2a: To identify parental materials for inheritance studies of BNF.

We expect to:

- 14. Increase seed of BNF diversity panel lines in winter nursery.
- 15. Complete initial greenhouse screening on 50 selected lines for BNF response (WSU)
- Evaluate correlative responses of BNF phenotypic characteristis in field and GH trials (ISU, MSU, WSU, NaCCRI, SUA, ISAR)
- 17. Confirm nodule rhizobia occupancy on selected lines from US and HC trials (WSU, SUA)
- 18. Test subset of BNF DP lines on low soil N +/- inoculants in HC field trials (MSU, WSU, NaCCRI, SUA, ISAR)
 - a. Include high N treatment, non-nodulation lines for comparison

Sub-Objective 2b: To phenotype existing mapping populations for BNF response, populate with molecular markers, and conduct QTL analysis.

We expect to:

- 19. Characterize soil rhizobia soil populations and strain diversity at field sites
 - a. Establish nodule rhizobia occupancy established on selected lines (WSU)
- 20. Confirm season 1 BNF phenotyping of selected populations [Bean CAP and South American Core]
 - a. biomass, plant N, ureide levels prior to pod fill.
- 21. Conduct SNP analysis (SNP chip) on bean CAP and SA Core collection for association mapping with phenotype data (WSU, MSU).
- 22. Complete initial list of candidate genes associated with BNF for SNP associations (WSU, MSU).
- 23. Advance selected RILs to F3 (MSU, WSU)

Collaborators:

Host country field managers at NaCRRI, ISAR, and SUA and experiment station managers at ISU, MSU, and WSU in the US.

Approaches and Methods:

We will increase seed of the BNF diversity panel (DP) consisting of 300+ Andean bean lines for evaluation. This panel will include lines from the current Bean CAP and South American Core collections, representative commercial market types and advanced breeding lines from host countries Rwanda, Uganda, Tanzania and the US; lines known to differ for BNF (BAT 477, Pueblo 152, CAL 143,

RIZ lines, etc.); super-nodulating and non-nodulating; and select parents of existing mapping populations. A subset of these materials will be tested for BNF response under low N conditions in the field (single locations in Rwanda, Tanzania, and Uganda) and greenhouse (US-WSU).

Initial screening of selected lines will begin in the greenhouse in the US (WSU and ISU). Single plants will be sown in 1 liter pots containing 50% sand/potting soil mixture, N-deficient fertilizer solution, and arranged in RCBD with 5 replications, and at least two treatments — non-inoculated and inoculated (with mixture of rhizobia strains). The materials will be similarly grouped (20 to 30 materials each group) for the GH experiments conducted over a period of two years. BNF response will be measured by plant N (multiple subsamples per plot), seed N (multiple subsamples per plot), biomass, and seed yield at harvest maturity for field studies. For greenhouse studies, plant biomass on shoot/root basis, nodulation score, and plant N concentration at 12 wks after planting will be used to measure BNF response.

Initial phenotyping will focus on selected populations [Bean CAP and South American Core] for BNF response in US field sites. Data collected on each line/location will include biomass, plant N, ureide levels prior to pod fill. Ureide samples collected in the US will be analyzed at ISU. Samples collected in HC countries will be analyzed at NaCCRI. A mechanism will be established to correlate the phenotyping results of field and greenhouse trials.

The process of identifying genes associated with BNF response to inoculant will begin by collecting tissue samples from bean CAP and SA Core collections grown at WSU and/or MSU for SNP analysis (SNP chip). This approach will leverage SNP analyses currently being conducted by the bean CAP program. The primary constraint for utilizing these molecular markers effectively is collecting appropriate phenotype data to associate with the observed genetic variation. The phenotyping being conducted under this objective addresses this issue. Ultimately, phenotype data will be utilized for gene identification via association mapping as the gene sequence for *Phaseolus* becomes available in the near future.

Given the three year time frame necessary to generate new mapping populations, existing mapping populations with promise for mapping QTL conditioning BNF response will be tested in HC and US. We will continue to advance existing RIL populations for phenotyping BNF response (EP=Eagle/Pueblo 158, 78 F8 RILs, 357 markers; RC=Rojo/CAL 143, 147 F5 RILs, no markers). Seed of the RILs will be increased (January-May, Year 1, EP by ARS, East Lansing and RC by ARS-Prosser). The parents for EP, RC, and a few other bi-parental populations will be tested in the GH to confirm divergent phenotypic response for BNF. Given divergent response for the parents the EP population will be tested at two sites (ARS-Prosser and -East Lansing) under low N.

Objective 3:

The *third strategic aim* is to improve the productivity, profitability, and sustainability of agricultural systems on degraded soils through effective dissemination of new information and technologies to small-landholder farmers.

Sub-objective 3a: To improve farmer awareness of inoculation technologies

We expect to:

- 24. Establish format for field demonstrations at HC research stations (ISU, MSU, WSU, VEDCO, Makerere, NaCCRI, SUA, ISAR)
- 25. Include information on N2fixation and inoculation at research station/demonstration sites at (VEDCO, NaCCRI, SUA, ISAR)
- 26. Conduct field days in each HC to sensitize farmers and present research results (VEDCO, NaCCRI, SUA, ISAR)

Sub-objective 3b: To conduct on-farm demonstrations comparing inoculant strategies

We expect to:

27. Conduct on-farm trials initiated with selected farmer cooperators in all HC (VEDCO, NaCCRI, SUA, ISAR)

Sub-objective 3c: To strengthen farmers' collective capabilities to purchase inoculants and incorporate them into a profitable and sustainable system for small landholders,

We expect to:

- 28. Create training materials to disseminate through PELUM farmer network
- 29. Conduct information dissemination meetings on BNF with PELUM-associated farmer groups in Rwanda, Tanzania, Uganda, and Kenya (VEDCO)
- 30. Incorporate research results into extension training programs, farmer advocacy meetings, and PELUM network website (VEDCO)
- 31. Determine potential for engaging international funding agencies to expand current technology transfer efforts (ISU, Makerere, VEDCO, NaCCRI, SUA, ISAR)
- 32. Conduct advocacy meetings with farmer groups and agribusiness interests (VEDCO)

Collaborators:

PELUM (Participatory Ecological Land Use Management Association) is an a network of 207 civil society organizations in Eastern, Central and Southern Africa working towards poverty eradication, food security, and sustainable community development (see http://www.pelumrd.org/).

Approaches and Methods:

Ultimately our outreach activities will include training field staff on the use and potential benefits of inoculation technology, selecting farmers to participate in on-farm trials, sensitizing farmers and farmer groups about inoculant technology, identify local bean varieties to include in the field trials, training farmers on proper methods for conducting on-farm trials, data management, economic returns, and supporting data collection for site characterization. This will be completed through on-farm demonstrations, mass media, field schools, and local forums that the PELUM network has established in the region.

Our approach in Year 2 and 3 will be to disseminate information about the application of inoculant technologies directly to small landholder farmers through our partner connections in PELUM. PELUM's work focuses on enhancing farmers' livelihoods through sustainable agriculture, seed and food security. PELUM has active networks in 10 countries: Botswana, Kenya Lesotho, Malawi, Rwanda, South Africa, Tanzania, Uganda, Zambia and Zimbabwe. As a network their strength lies in efficient and effective collaboration and communication.

Objective 4: "Increase the capacity, effectiveness and sustainability of agriculture research institutions which serve the bean and cowpea sectors in developing countries"

Capacity building in terms of degree training includes formal education for seven (7) MS level graduate students and five (5) undergraduate students from host countries. Two graduate students will be trained in the Soil Science Department at Makerere University under the direction of Dr. Mateete Bekunda, Professor of Soil Science. Two graduate students will be trained at Sokoine University of Agriculture under the direction of Dr. Susan Mchimbi, Associate Professor of Plant Breeding and Genetics. One HC graduate student will be trained at Washington State University under the co-direction of Dr. Lynn Carpenter-Boggs, Assistant Professor of Soil Microbiology and Biochemistry, and Dr. Phillip Miklas, Legume Research Geneticist with USDA-ARS. One HC graduate student will be trained at Iowa State University under the direction of the program PI, Dr. Mark Westgate, Professor of Crop Production and Physiology. And one HC graduate student will be trained at Michigan State University under the co-direction of Dr. Jim Kelly, Professor of Crop Breeding and Genetics, and Dr. Karen Cichy, Research Geneticist with USDA-ARS.

It is expected that HC students training in the US will spend some time conducting practical field work in their home country. The student enrolled at Michigan State University in Crop and Soil Sciences, for example, will conduct in depth studies on promising lines indentified in Rwanda field trials and will develop linkage maps of a recombinant inbred line population to conduct QTL analysis of BNF capacity. Once the student has completed his or her coursework at MSU, he or she will spend an estimated 4 months in Rwanda gathering data on BNF variability in the RIL population. The student will then return to MSU to complete degree requirements. It also is expected that HC students trained at US institutions will return to their home countries to engage in research in their chosen field.

Capacity building in terms of non-degree training include formal internships for five (5) undergraduate students and training of HC laboratory technicians, field agronomists and extension staff on use and agricultural benefits of seed inoculants. In the first year, three undergraduate students will be

assigned to the three field sites in Rwanda to assist in germplasm evaluation. These students will be supervised by Dr. Augustine Musoni, and interact directly with US PIs during their visits to the field sites. Two undergraduate intern will be assigned to work with VEDCO staff on information dissemination in Year 2 and 3.

Training/Capacity Building Workplan Format (January 1 to September 28, 2010)

This program includes formal training for seven MSc students and five undergraduate interns, and short-term training sessions for the entire BNF team on BNF protocols. Five graduate students and three undergraduate interns will be identified in during the first funding period. Two graduate students and two interns will begin training in year 2. Graduate students will also be encouraged to attend a workshop to share research outcomes and training activities prior to the CRSP meeting in 2012

Degree Training:

Seven host country M.Sc. graduate students

First and Other Given Names Mercy
Last Name Kabahuma
Citizenship Uganda
Gender Female

Training Institution Iowa State University
Supervising CRSP PI Mark Westgate

Degree Program for training M.S.

Program Areas or Discipline Plant Physiology

If enrolled at a US university, will Trainee be a "Participant Trainee" as defined by USAID? YES

Host Country Institution to Benefit from Training

Thesis Title/Research Area Shoot and Root Control of BNF

Start Date Fall 2010
Projected Completion Date Summer 2012

Training status

(Active, completed, pending, discontinued or delayed) Active

Type of CRSP Support

(full, partial or indirect) for training activity full

First and Other Given Names Martha
Last Name Abwate
Citizenship Uganda
Gender Female

Training Institution Makerere University

Supervising CRSP PI John Tenywa

Degree Program for training M.S.

Program Areas or Discipline Soil Science

If enrolled at a US university, will Trainee be a "Participant Trainee" as defined by USAID? YES

Host Country Institution to Benefit from Training Makerere University

Thesis Title/Research Area TBD

Start Date Summer 2010
Projected Completion Date Summer 2012

Training status

(Active, completed, pending, discontinued or delayed) Active

Type of CRSP Support

(full, partial or indirect) for training activity full

First and Other Given Names Peter
Last Name Ssenyonga
Citizenship Uganda
Gender Male

Training Institution Makerere University
Supervising CRSP PI John Tenywa

Degree Program for training M.S.
Program Areas or Discipline Soil Science

If enrolled at a US university, will Trainee be a "Participant Trainee" as defined by USAID? YES

Host Country Institution to Benefit from Training Makerere University

Thesis Title/Research Area TBD

Start Date Summer 2010
Projected Completion Date Summer 2012

Training status

(Active, completed, pending, discontinued or delayed) Active

Type of CRSP Support

(full, partial or indirect) for training activity full

First and Other Given Names Kelvin
Last Name Kamfwa
Citizenship Rwanda

Gender

Training Institution Michigan State University

Supervising CRSP PI Kelley, Cichy

Degree Program for training M.S.

Program Areas or Discipline Plant Breding/Genetics

If enrolled at a US university, will Trainee be a "Participant Trainee" as defined by USAID? YES

Host Country Institution to Benefit from Training ISAR

Thesis Title/Research Area Genetic control of BNF in beans

Start Date Fall 2010
Projected Completion Date Summer 2012

Training status

(Active, completed, pending, discontinued or delayed) Active

Type of CRSP Support

(full, partial or indirect) for training activity full

First and Other Given Names Michael
Last Name Lege
Citizenship US
Gender Male

Training Institution Washington State University
Supervising CRSP PI Carpenter-Boggs, Miklas

Degree Program for training M.S.

Program Areas or Discipline Soil Microbiology/Biochemistry

If enrolled at a US university, will Trainee be a "Participant Trainee" as defined by USAID? YES

Host Country Institution to Benefit from Training
Thesis Title/Research Area

Sokoine University Agriculture
N2 fixation of rhizobial strains

Start Date Fall 2010
Projected Completion Date Summer 2012

Training status

(Active, completed, pending, discontinued or delayed) Active

Type of CRSP Support

(full, partial or indirect) for training activity full

First and Other Given Names TBD

Last Name

Citizenship Tanzania

Gender

Training Institution Sokoine University Agriculture

Supervising CRSP PI Mchimbi, Tindwa

Degree Program for training M.S.

Program Areas or Discipline Breeding and Genetics

If enrolled at a US university, will Traince be a "Participant Traince" as defined by USAID? YES

Host Country Institution to Benefit from Training Sokoine University Agriculture

Thesis Title/Research Area TBD

Start Date Summer 2010
Projected Completion Date Summer 2012

Training status

(Active, completed, pending, discontinued or delayed) pending

Type of CRSP Support

(full, partial or indirect) for training activity full

First and Other Given Names TBD

Last Name

Citizenship Tanzania

Gender

Training Institution Sokoine University Agriculture

Supervising CRSP PI Mchimbi, Tindwa

Degree Program for training M.S.

Program Areas or Discipline Breeding and Genetics

If enrolled at a US university, will Trainee be a "Participant Trainee" as defined by USAID? YES

Host Country Institution to Benefit from Training Sokoine University Agriculture

Thesis Title/Research Area TBD

Start Date Summer 2010

Projected Completion Date

Summer 2012

pending

Training status

(Active, completed, pending, discontinued or delayed)

Type of CRSP Support

(full, partial or indirect) for training activity full

Short-term Training:

Two undergraduate internships at VEDCO

Type of training Undergraduate Internship on inoculant

technologies, management and benefits

Description of training activity Participation in field operations Location

Varied, depending on staff and farmer

group locations

Duration 8 weeks When will it occur? Summer 2012

Participants/Beneficiaries of Training Activity: Undergraduate students

Anticipated numbers of Beneficiaries (male and female) 1 male, 1 female

PI/Collaborator responsible for this training activity VEDCO, Musoke

List other funding sources that will be sought (if any)

Training justification Adaptation of new technology requires

user understanding of appropriate use,

management, and pitfalls.

Three undergraduate internships at ISAR

Type of training Undergraduate Internship on inoculant

technologies, management and benefits

Description of training activity Participation in field operations

Location Varied, depending on staff and farmer

group locations

Duration 8 weeks When will it occur?

Summer 2012

Participants/Beneficiaries of Training Activity: Undergraduate Students Anticipated numbers of Beneficiaries (male and female) 2 female, 1 male student

PI/Collaborator responsible for this training activity ISAR, Musoni

Training justification Adaptation of new technology requires

user understanding of appropriate use,

management, and pitfalls.

VEDCO, NaCRRI, ISAR, SUA staff

Description of training activity

Type of training Staff and farmer education on inoculant

technologies, management and benefits Formal lecture and open discussion Varied, depending on staff and farmer

Location Varied, depending group locations

Duration 4 hours

When will it occur? Fall 2011-Spring 2012

Participants/Beneficiaries of Training Activity: Extension staff, farmer groups

Anticipated numbers of Beneficiaries (male and female) 50 male, 50 female

PI/Collaborator responsible for this training activity VEDCO/ISAR/SUA, Musoke,

Nchimba, Musoni

Training justification Adaptation of new technology requires

user understanding of appropriate use,

management, and pitfalls.

III. Contribution of Project to Target USAID Performance Indicators:

Graduate and undergraduate training is central to this project. Supporting advanced education for HC students with world-class scientist and training field technicians will contribute directly to HC capacity building.

Training of farmers and farmer groups on technologies to improve bean productivity will contribute to income and food security of small landholder farmers.

Improved on-farm productivity will enhance marketing opportunities for farmer associations.

Advancing inoculant technology for legumes will promote agricultural enterprise associated with inoculant production and sales.

IV. Target Outputs:

New knowledge on bean germplasm x inoculant x environment interactions to inform ongoing variety development programs in the U.S. and host countries about specific improvements in BNF needed to realize enhanced yield, nutritional value, and marketability of dry beans and other pulses.

Seven graduate students and (at least) five undergraduate students trained in agricultural research and extension.

Methods and conditions for profitable use of superior legume inoculants determined.

V. Engagement of USAID Field Mission(s)

Work in this project is closely aligned with USAID's goals of increasing agricultural production, enhancing the sustainable use of natural resources, reduce threats to biodiversity, and improve food security. USAID assistance seeks to increase and diversify commercial agricultural production and increase Uganda's competitiveness in local and international markets. This project will contribute to USAID's mission of strengthening producer organizations by working with individual farmers and farmer groups. In particular, the CRSP project explores the benefits of modern agricultural (micro-biological) technology to increase agricultural productivity and income to small landholder farmers.

Outcomes of this CRSP program directly support the USAID Rwanda Mission program for economic growth and expanded opportunities in rural areas, increase household incomes, employment, and corresponding rural financial services for targeted communities. The central Mission goal of increasing agricultural productivity is promoted by developing sustainable production practices to increase legume yields through training and access to modern agricultural inputs. Knowledge and experiences gained through VEDCO's dissemination activities in Uganda provide an excellent model for disseminating information to farmer groups in rural communities in Rwanda.

The major objectives of the USAID Mission in Tanzania is to stabilize population growth, prevent the spread of HIV/AIDS, arrest environmental degradation and promote democracy, human rights and broad-based national and regional economic growth. CRSP activities Tanzania will contribute to USAID's mission of strengthening producer organizations by working with individual farmers and farmer groups. Through our participatory approach, this program will disseminate new knowledge about sustainable agricultural technologies and build capacity of farmer groups and associations. This program also contributes directly to the US Presidential Initiative to End Hunger In Africa, which is designed to help Africa countries reduce hunger in half by 2015.

VI. Networking Activities with Stakeholders:

We anticipate our direct interaction with these programs will expand the impact of current CRSP-funded variety development programs in the US. Dr. Phil Miklas has ongoing research activities with the bean breeding program at the Sokoine University of Agriculture. This connection will provide direct linkage between US and Tanzanian scientists using molecular genetics tools to select for improved bean germplasm. Prof. Jim Kelly at Michigan State University has ongoing germplasm development projects with colleagues at the Institit des Sciences Agronomiques du Rwanda/ISAR in Rwanda. Our research team has ongoing collaboration with bean breeders at the Rwanda through PABRA (CIAT and ECABREN) in the area of exchange of germplasm, esp. snap beans, climbing beans and root rot resistant bean lines.

Dr. Michael Ugen and colleagues at NaCRRI in Uganda work in collaboration with CIAT and ECABREN (East and Central Africa Bean Research Network) under PABRA (Pan African Bean Research Alliance) for germplasm exchange, sharing equipment and research results, trainings, support to monitoring tours, exchange of scientists, backstopping national research programs (breeding, pathology, participatory monitoring and evaluation and seed system), supervision of students, co-designing 5-year collaborative research programs.

Through VEDCOs leadership in the PELUM network, we will work with farmers groups and associations and agribusiness concerns in Rwanda, Tanzania, Uganda, and Kenya using participatory

methods to understand local livelihoods, agronomic practices, their previous and current linkages with various types of institutions and service providers (governmental and non-governmental), private sector traders, transporters, their livelihood aspirations, assets, capabilities, and strategies. Involving local leadership is a key component of this approach to mobilization of farmers and local agricultural concerns.

CSRL uses 'Learning Forums' regularly to interact with various institutions and service providers (governmental and non-governmental), private sector traders, agricultural processors and distributors etc., to gain and maintain appropriately broad perspectives on key issues in production, the value chain, benefit from their special expertise, and build new collaborative relationships for high levels of success.

VII. Leveraging of CRSP Resources:

US Institutions have committed \$154,236 in 'in-kind' dollars towards the successful completion of the projects outlined in this proposal. Our industrial partner, Becker Underwood, Inc (BU) is contributing about 43% of this amount. This level of commitment from an industry partner is significant and clearly indicative of the potential for leveraging additional industry funds to expand the program. Utilization of SNP analysis from the Bean CAP program represents a significant savings to the CRSP project as these data will be directly applicable for discovery of BNF-related genes and those regulating response to inoculation.

Through its collaboration with the Lutheran World Relief, Becker Underwood is currently supporting the expansion of Inoculant Technology in Burkina Faso, Niger, Tanzania, Kenya, and Mali. This activity involves local seed companies and is designed to minimize dependence on inorganic N fertilizer. While a formal commitment of funds from the CSRL program is not possible, many of the management, development, and research activities conducted by the Center with our partners in Sub Saharan Africa Uganda support the research and development activities outlined in this proposal.

VIII. Contribution of Project to Target USAID Performance Indicators:

(At this time—leave this field blank)

IX. Project Benchmarks (semi-annual indicators of progress):

(At this time -leave this field blank)

TMAC EVALUATIONS AND RECOMMENDATIONS for FY12 WORKPLANS

<u>Project Title</u>: ISU-2: Enhancing Biological Nitrogen Fixation (BNF) of Leguminous Crops Grown on Degraded Soils in Uganda, Rwanda, and Tanzania

LEAD US PI: Mark Westgate, Iowa State University

General Comments: A site visit by TMAC members was completed in May 2011 and considerable adjustment to the FY11 and FY12 workplans were made. Things to note are the following: Andean climbing beans will be a major focus and an Andean Diversity Panel (300 entries) is being assembled and seed increased. This Andean panel will be the focus for the associated SNP mapping, and this will require considerable effort in phenotyping these materials. A workshop on abiotic stress factors in soil was held at Penn State in August and priorities developed for research on BNF. This workshop also provided opportunities for networking among BNF projects. Major efforts are underway to determine why inoculant treatments have failed in the past. This will involve studies on molecular typing Rhizobia strains from nodules and soils collected in HC's. Efforts are devoted to standardizing tests for measuring BNF, such as ureide levels and total nitrogen. Extension efforts are on hold until information on BNF is available. Scientists in Uganda are well connected with VEDCO and this will provide a means for dissemination of appropriate information. Pls agreed to have joint advising (USA and HC PI's involved) of graduate students.

TMAC view towards achieving targeted outputs: The potential for completion of the targeted outputs will depend on the progress in FY11. Several important outputs should result from this project: i) development of molecular methods for identification of BNF microbes, ii) standardization of protocols for measuring BNF, iii) evaluation of relationship between P in soils and BNF, iii) assemble of an Andean Diversity Panel and a BNF panel, iv) initial phenotyping of these panels and SNP determination (BeanCAP), v) better understanding of why the inoculant treatments were not effective, vi) development of BNF extension materials and coordination of extension activities with VEDCO.

Recommendations:

- 1. TMAC recommends the approval of the FY12 workplan without changes.
- 2. Growth chamber studies and/or field studies on BNF should include lines from UPR, PSU, and CIAT and these should be added to a BNF diversity panel. This effort would integrate activities with other CRSP projects and may be the last opportunity for this type of comprehensive comparison. It is not clear, but this may already have been implemented.

3. This is a complex project, which requires the effective communication among all members. Approaches to allow communication among members should be explored. Such options, as Web Site, shared-google documents, brief semi-annual progress reports could be distributed among project members, and thesis research outlines should be prepared and distributed among project members, might be considered. The TMAC views effective communication among members as a critical component necessary to achieve the expected targeted outputs by the end of FY12.

Dry Grain Puties CRSP Report on the Achbyrgment of "Semi-Annual Indicators of Emeriess" (For the Period: October 1, 2011 - September 24, 2012)

This form should be completed by the U.S. Lead PI and submitted to the ISO by <u>October 1, 2012</u>

Enhancing biological nitrogen fination (BNF) of leguntinous crops grown on degraded soils in Ugande, Awende, and Tonzenla

Project Tille:

Musori | SUA | MSU | WSU Betundo Venimbi tloen Musoke (Tick mark the Yes or No column for identified benchmarks by institution) 100 Miltos Š Westgate Please provide an exponation for not achieving the benchmark indicators on a separate sheet. Embitished format for field democratizion at HC stational backoomstatus sites between deformation on VEYFauties and instruction at democratizius sites Conducted field days in each HC to statistic format on BNF Conducted field days in each HC to statistic format on BNF Conducted or them this with indeed format cooperates of Created methods marked but to distemtate format programs. Created methods marked to distemtate the format of PELLIM celevels, website meetings, and PELLIM technols, website for supplied to the supplied parameters and sentent technology unanties fallows. Centinated subvectory meetings with furner groups and againmates interest Tested subset of BMF gazed lizes in law N stol 44- inocolemus in HC benceasid seed of BMF diversory pared lizes. Completed durind prevalouse streaming of 50 selected lines for Response Brakinstel correlative response of BMF phromtype characteristics. Confirmated notities through completed Bases Confirmated strains of the phromtype of selected Bases Confirmated strains of the supplication and strains diversory on field situes. Completed build be applicated phromologying for schools of 8A kines Completed build hits of candidate gazes for BMF response Advances releaved RMLs to F3 First Trial 2 cestalished at MC lentinest Operations (Period Trial 2 cestalished at MC lentinest Operation) (Trial 2 cestalished at MC lentinest Operation) (Trial 2 cestalished yield sub-marges of incordance for second MC field sensor Academy of physics of still weighted the regions is incordant N Gan X Env. Confirmed indigenous chizokla lawle related to can income and conditions Reconstitution of the physics of the still substitution of the physics of the still sensition incordance or constructions of the still substitution of the still sensition in the sensor of the still sensition of the still sensor of the still se Objective 4
Graduze studens denulised
Graduze studens denulised
Graduze stearte brogens indused
Undergraduze studens incerna indused
Undergraduze studens project festud Name of the Pi responsible for repoding on benchmarks Benchments by Objectives Signaturo/Initials: Objective 2 Objective 3

Dry Grain Pulses CRSP PERFORMANCE INDICATORS/TARGETS for FY 12 (October 1, 2011 — September 28, 2012)

		PIII-ISU-2
	2012 Target	2012 Actual
Output Indicators	(Oct 1	2011-Sept 28, 2012)
Degree Training: Number of individuals who ha	<u>ve received deg</u> I	ree training
Number of women	4	
Number of men	3	
Short-term Training: Number of Individuals wh	o have received	short-term training
Number of women	200	
Number of men	200	
Technologies and Policies		
Number of technologies and management	1	
practices under research	1	
Number of technologies and management	_	
practices under field testing	1	
Number of technologies and management		
practices made available for transfer	1	
Number of policy studies undertaken		
<u> </u>		
Beneficiaries: Number of rural households benefiting directly		
from CRSP interventions - Female Headed		
households	3000	
Number of rural households benefiting directly from CRSP interventions - Male Headed		
households	2000	
Alternation of periodic transfer of firms to the first		
Number of agriculture-related firms benefitting from CRSP supported interventions	3	
Number of producer organizations receiving technical assistance	3	
tectifical assistance	3	
Number of trade and business associations	_	
receiving technical assistance	3	
Number of community-based organizations	_	
receiving technical assistance	3	
Number of common accordant and accordance of the common accordant accordance and accordance accorda		
Number of women organizations receiving CRSP technical assistance	3	
Number of public-private partnerships formed as	<u>-</u>	
a result of CRSP assistance	3	
Number of HC partner		
organizations/Institutions benefiting	3	L
Developmental outcomes:		
Number of additional hectares under improved		
technologies or management practices	5000	

Dry Grain Pulses CRSP : THIRD PERIOD													
Enhancing biological nitrogen fixation of leguminous crops grown on degraded soils in Uganda, Rwanda and Tanzania													
						10/01/11 - 09/2	8/12						
	U.S. Institution	U.S. for Host Country	HC or U.S. Institution (1)	HC or U.S. Institution (2)	HC or U.S. Institution (3)	HC or U.S. Institution (4)	HC or U.S. Institution (5)	HC or U.S. Institution (6)	HC or U.S. Institution (7)	HC or U.S. Institution (8)	HC or U.S. Institution (9)		
Institution Name	ISŲ		MSU/Kelly	ARS/Cichy	WSU/Boggs	ARS/Miklas	Makerere U	VEDCO	NaCCRI	ISAR, Rwanda	Sokolne Univ		
a. Personnel Cost													
Sglades Fringe Benefit	\$0.00	\$20,203.00 \$2,667.00	\$17,749.00 \$1,910.00	\$0.00 \$0.00	\$18,672.00 \$5,913.00	\$19,150.00 \$2,528.00	\$7,200.00 \$0.00	\$14,400.00 \$0.00	\$6,000.00 \$0.00	\$9,000.00 \$0.00	\$15,600.00 \$0.00		
b. Travol	\$8,900.00	\$4,050.00	\$7,200.00	\$4,200.00	\$3,900.00	\$7,950.00	\$7,450.00	\$3,860.00	\$13,145.00	\$2,465.00	\$6,515.00		
c. Equipment (\$5000 Plus)	\$0.00		\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00		
d. Supplies	\$5,000.00		\$2,000.00	\$5,000.00	\$5,000.00	\$5,000.00	\$2,250.00	\$8,800.00	\$3,300.00	\$3,000.00	\$3,000.00		
e. Training													
Degree Non-Degree	\$0.00 \$0.00	\$4,719.00	\$9,721.00 \$0.00	\$0.00 \$0.00	\$0.00 \$0.00	\$10,438.00 \$0.00	\$1,500.00 \$0.00	\$0.00 \$9,500.00	\$0.00 \$0.00	00.00 00.003,82	00.003,62 00.02		
f. Other	\$1,950.00		\$1,200.00	\$0.00	\$2,000.00	\$800.00	\$1,300.00	\$2,900.00	\$1,500.00	\$1,300.00	\$550.00		
g. Total Direct Cost	\$15,850.00	\$31,639.00	\$39,780.00	\$9,200.00	\$35,485.00	\$45,866.00	\$19,700.00	\$39,480.00	\$23,945.00	\$19,385.00	\$29,265.00		
h. Indirect Cost i. Indirect Cost on Subcontracts	\$11,120.00	1	\$15,630.00	\$1,022.00	\$17,671.00	\$5,096.00	\$1,970.00	\$5,919.00	\$2,395.00	\$0.00	\$0.00		
(First \$25000)	\$1,184.00												
j. Total Indirect Cost	\$12,304.00	\$0.00	\$15,630.00	\$1,022.00	\$17,671.00	\$5,096.00	\$1,970.00	\$5,919.00	\$2,395.00	\$0.00	\$0.00		
Total	\$28,154.00	\$31,639.00	\$55,410.00	\$10,222.00	\$53,156.00	\$50,962.00	\$21,670.00	\$45,379.00	\$26,340.00	\$19,385.00	\$29,265.00		
Grand Total					•	\$371,562.00)						

Total direct cost budgeted for U.S. Institution(s)

Total direct cost budgeted for H.C institution(s)

Total direct cost budgeted for H.C institution(s)

\$146,181.00 47.22%
\$2,78%

Cost Share	U.S. Institution	U.S. for Host Country	HC or U.S. Institution (1)		HC or U.S. Institution (3)	HC or U.S. Institution (4)	HC or U.S. Institution (S)	HC or U.S. Institution (6)	HC or U.S. Institution (7)	HC or U.S. Institution (8)	HC or U.S. Institution (9)	Total
In-kind	\$45,006.00		\$6,369.00	\$0.00	\$3,595.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$54,970.00
Cash											_	S -
Total	\$ 45,006.00	\$ -	\$ 6,369.00	\$ -	\$ 3,595.00	S -	\$ -	\$ -	\$.	\$.	S -	\$54,970.00

Attribution to Capacity Building												
Percentage of effor	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%
Amount corresponding to effor	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00

Enhancing biological nitrogen fixation of leguminous crops grown on degraded soils in Uganda, Rwanda and Tanzania